

**Table S1.** Primer sets for PCR used in this study.

<b>Primer name</b>	<b>Primer sequences (5'→3')</b>
3XFLAG Capsid	Forward: ATATATGCTAGCGTTTAAACGCCACCATGAAAAACCCAAAAA GAAATCC Reverse: GGCGGGAGCGGCGGGGACTACAAAGACCATGACGGTGATTATAA AGATCATGACATCGACTACAAGGATGACGATGACAAGTAGGGCG CGCCCTCGAGATATAT
PEX11B-myc	Forward: TAGCACTAGTATGGGGAAACTG Reverse: GTACGTCGACTTACAGATCCTCTTCTGAGATGAGTTTTTGTTCGGG CTTGAGTCG

**Table S2.** Primer sets for qRT-PCR used in this study.

<b>Primer name</b>	<b>Primer sequences (5'→3')</b>
Zika virus	Forward: CCTTGGATTCTTGAACGAGGA Reverse: AGAGCTTCATTCTCCAGATCAA
Viperin	Forward: CTTTTGCTGGGAAGCTCTTG Reverse: CAGCTGCTGCTTTCTCCTCT
MX2	Forward: CAGCCACCACCAGGAAACA Reverse: TTCTGCTCGTACTGGCTGTACAG
Ifnb	Forward: TAGCACTGGCTGGAATGAGA Reverse: TCCTTGGCCTTCAGGTAATG
Ifit1	Forward: AGAAGCAGGCAATCACAGAAAA Reverse: CTGAAACCGACCATAGTGGAAT
Actb	Forward: CCTGGCACCCAGCACAAAT Reverse: GCCGATCCACACGGAGTACT
IFN-λ2	Forward: AGTTCCGGGCCTGTATCCAG Reverse: GAACCGGTACAGCCAATGGT
RIG-I	Forward: AGTGAGCATGCACGAATGAA Reverse: GGGATCCCTGGAAACACTTT
MDA5	Forward: GAGCAACTTCTTTCAACCACAG Reverse: CACTTCCTTCTGCCAAACTTG