

Table S1. Cont.

Country, Region	N	Percentages per Haplogroup										Reference	
Breed(s)		T	T1	T1c1a1	T2	T3	T4	I1	I2	I	J		G
Iceland	12					100.0							[1]
Icelandic													
Denmark	32					100.0							[3]
Danish Red (old type)													
Jutland breed													
Britain	108	4.2			1.2	94.6							[1,5,6]
Angus													
Galloway													
Highland													
Kerry													
Hereford													
Jersey													
White Park													
Lowland Black-Pied	25	12.0				88.0							[1,4]
Holstein-Friesian													
German Black-Pied													
C Europe	141	3.5			4.3	92.2							[1,4,7]
Simmental													
Evolene													
Raetian Grey													
Swiss Brown													
Valdostana Pezzata													
Rossa													
Tarina													
Bruna													
Grey Alpine													
France	98		1.4		6.6	92.0							[1,4,8]
Charolais													
Limousin													
Blonde d'Aquitaine													
Gascon													
Northern Spain	25	4	13.4			82.57							[8,9]
Albera													
Alistana													
Asturia Montana													
Monchina													
Pirenaica													
Pallaresa													
Rubia Gallega													
Southern Spain	638	0.1	10.9	3.1	1.9	84.0							[5,8–11]
Avileña													
Berrenda colorado													
Berrenda negro													
Cardena Andaluza													

Table S1. Cont.

Country, Region	N	Percentages per Haplogroup										Reference	
Breed(s)		T	T1	T1c1a1	T2	T3	T4	I1	I2	I	J		G
North China	83		3.6		20.5	67.5	6.0	2.4					[32]
Yellow cattle													
Central China	106	0.9	0.9		8.5	42.5	13.2	34.0					[32]
Yellow cattle													
South China	483		0.2		4.8	37.9	5.4	48.0	3.7				[32]
Yellow cattle													
South China	22					22.7		77.3					[34]
Dulong													
East China	23	4.3	4.3		4.3	52.2	8.7			8.7		17.4	[28]
Qinghai													
Nepal	17					70.6		5.9	17.6			5.9	[35,36]
Lulu													
Bhutan	26					11.5		46.2	42.3				[37]
Bhutanese native													
Ganges	193							57.0	43.0				[38]
Uttar Pradesh local													
Red Chittagong													
Meghalaya local													
Mizoram local													
West Bengal local													
Indus	215	4.3			1.4			54.4	39.9				[15,38]
Sahiwal													
Haryana													
Rajasthan local													
Tharparker													
Red Sindhi													
South India	80							55.0	45.0				[15,38]
Ongole													
Maharashtra local													
& Desi													
Tamil Nadu local													
Southeast Asia	120							95.8	4.2				[38]
Myanmar native													
Cambodia native													
Laotian													
Vietnam native													
Phillipines	23					21.7		78.3					[27]
Batanga													
Ilocos Nort													
Oloilo													
Indonesia													
Pesisir	22									100.0			[39]
Aceh	11									100.0			[39]
Filial Ongole	5									80.0	20.0		[39]
Galekan	47									8.5	91.5		[39]

References

1. Troy, C.S.; MacHugh, D.E.; Bailey, J.F.; Magee, D.A.; Loftus, R.T.; Cunningham, P.; Chamberlain, A.T.; Sykes, B.C.; Bradley, D.G. Genetic evidence for Near-Eastern origins of European cattle. *Nature* **2001**, *410*, 1088–1091.
2. Achilli, A.; Bonfiglio, S.; Olivieri, A.; Malusa, A.; Pala, M.; Hooshiar Kashani, B.; Perego, U.A.; Ajmone-Marsan, P.; Liotta, L.; Semino, O.; *et al.* The multifaceted origin of taurine cattle reflected by the mitochondrial genome. *PLoS ONE* **2009**, *4*, e5753.
3. Kantanen, J.; Edwards, C.J.; Bradley, D.G.; Viinalass, H.; Thessler, S.; Ivanova, Z.; Kiselyova, T.; Cinkulov, M.; Popov, R.; Stojanovic, S.; *et al.* Maternal and paternal genealogy of Eurasian taurine cattle (*Bos taurus*). *Heredity* **2009**, *103*, 404–415.
4. Bonfiglio, S.; Achilli, A.; Olivieri, A.; Negrini, R.; Colli, L.; Liotta, L.; Ajmone-Marsan, P.; Torroni, A.; Ferretti, L. The enigmatic origin of bovine mtDNA haplogroup R: sporadic interbreeding or an independent event of *Bos primigenius* domestication in Italy? *PLoS ONE* **2010**, *5*, e15760.
5. Ginja, C.; Penedo, M.C.; Melucci, L.; Quiroz, J.; Martinez Lopez, O.R.; Revidatti, M.A.; Martinez-Martinez, A.; Delgado, J.V.; Gama, L.T. Origins and genetic diversity of New World Creole cattle: inferences from mitochondrial and Y chromosome polymorphisms. *Anim. Genet.* **2010**, *41*, 128–141.
6. Ludwig, A.; Alderson, L.; Fandrey, E.; Lieckfeldt, D.; Soederlund, T.K.; Froelich, K. Tracing the genetic roots of the indigenous White Park Cattle. *Anim. Genet.* **2013**, *44*, 383–386.
7. Schlumbaum, A.; Turgay, M.; Schibler, J. Near East mtDNA haplotype variants in Roman cattle from Augusta Raurica, Switzerland, and in the Swiss Evolene breed. *Anim. Genet.* **2006**, *37*, 373–375.
8. Beja-Pereira, A.; Caramelli, D.; Lalueza-Fox, C.; Vernesi, C.; Ferrand, N.; Casoli, A.; Goyache, F.; Royo, L.J.; Conti, S.; Lari, M.; *et al.* The origin of European cattle: Evidence from modern and ancient DNA. *Proc. Natl. Acad. Sci. USA* **2006**, *103*, 8113–8118.
9. Miretti, M.M.; Dunner, S.; Naves, M.; Contel, E.P.; Ferro, J.A. Predominant African-derived mtDNA in Caribbean and Brazilian Creole cattle is also found in Spanish cattle (*Bos taurus*). *J. Hered.* **2004**, *95*, 450–453.
10. Liron, J.P.; Bravi, C.M.; Mirol, P.M.; Peral-Garcia, P.; Giovambattista, G. African matrilineages in American Creole cattle: Evidence of two independent continental sources. *Anim. Genet.* **2006**, *37*, 379–382.
11. Cortes, O.; Tupac-Yupanqui, I.; Dunner, S.; Garcia-Atance, M.A.; Garcia, D.; Fernandez, J.; Canon, J. Ancestral matrilineages and mitochondrial DNA diversity of the Lidia cattle breed. *Anim. Genet.* **2008**, *39*, 649–654.
12. Cymbron, T.; Freeman, A.; Malheiro, M.I.; Vigne, J.D.; Bradley, D. Microsatellite diversity suggests different histories for Mediterranean and Northern European cattle populations. *Proc. Roy. Soc. Lond. B Biol. Sci.* **2005**, *272*, 1837–1843.
13. Radoslavov, G.A.; Hristov, P.I.; Neov, B.S.; Teofanova, D.R. Mitochondrial diversity in Bulgarian native cow breeds. *GenBank* **2013**, KF373013–KF373030.
14. Ozdemir, M.; Dogru, U. Determination of phylogenetic relationships of Turkish native cattle breeds with other cattle breeds using mitochondrial DNA. *GenBank* **2006**, EF126310–EF126323.

15. Magee, D.A. Molecular Genetic Investigations of the Diversity and Origins of Old and New World Cattle Populations. Ph.D. Theses, Trinity College Dublin: Dublin, Ireland, 2002.
16. Achilli, A.; Olivieri, A.; Pellecchia, M.; Ubaldi, C.; Colli, L.; Al-Zahery, N.; Accetturo, M.; Pala, M.; Hooshiar Kashani, B.; Perego, U.A.; *et al.* Mitochondrial genomes of extinct aurochs survive in domestic cattle. *Curr. Biol.* **2008**, *18*, R157–R158.
17. Bollongino, R.; Burger, J.; Powell, A.; Mashkour, M.; Vigne, J.D.; Thomas, M.G. Modern taurine cattle descended from small number of Near-Eastern founders. *Mol. Biol. Evol.* **2012**, *29*, 2101–2104.
18. Lee, S.; Cho, K.; Choi, Y. Molecular variation of Korean native cattle (Hanwoo). *GenBank* **2002**, AF499238–AF499264.
19. Kim, K.I.; Lee, J.H.; Lee, S.S.; Yang, Y.H. Phylogenetic relationship of northeast Asian cattle to other cattle populations determined using mitochondrial DNA D-loop sequence polymorphism. *Biochem. Genet.* **2003**, *41*, 91–98.
20. Oh, J.D.; Lee, H.K.; Kong, H.S.; Jeon, G.J.; Yoon, D.H. Effect of sequence variation in Mitochondrial DNA D-loop region on economic traits for Korean cattle. *GenBank* **2004**, AY828500–AY828506.
21. Mannen, H.; Kohno, M.; Nagata, Y.; Tsuji, S.; Bradley, D.G.; Yeo, J.S.; Nyamsamba, D.; Zagdsuren, Y.; Yokohama, M.; Nomura, K.; *et al.* Independent mitochondrial origin and historical genetic differentiation in North Eastern Asian cattle. *Mol. Phylogenet. Evol.* **2004**, *32*, 539–544.
22. Yum, S.; Suh, J.Y.; Woo, S.; Jeon, H.W.; Kim, K.C.; Suh, D.S. Genetic relationship of Korean cattle (Hanwoo) based on nucleotide variation of mitochondrial D-loop region. *Kor. J. Genet.* **2004**, *26*, 297–307.
23. Shin, H.D.; Kim, L.H. *Bos taurus* mitochondrion, complete genome sequence of Korean cattle, beef cattle and Holstein-Friesian. *GenBank* **2005**, DQ124371–DQ124386.
24. Chung, H.Y.; Ha, J.M. Haplotype analysis of mitochondrial DNA in Korean native cattle. *GenBank* **2004**, AY526085.
25. Takeda, K.; Onishi, A.; Takahashi, S.; Kojima, T.; Hanada, H. Genetic variants of bovine mitochondrial DNA D-loop region in Japanese Black, Japanese Brown and Holstein breeds. *Anim. Sci. Tech.* **1997**, *68*, 1161–1165.
26. Mannen, H.; Kojima, T.; Oyama, K.; Mukai, F.; Ishida, T.; Tsuji, S. Effect of mitochondrial DNA variation on carcass traits of Japanese Black cattle. *J. Anim. Sci.* **1998**, *76*, 36–41.
27. Komatsu, M.; Yasuda, Y.; Matias, J.M.; Niibayashi, T.; Abe-Nishimura, A.; Kojima, T.; Oshimna, K.; Tajeda, H.; Hasegawa, K.; Abe, S.; *et al.* Mitochondrial DNA polymorphisms of D-loop and four coding regions (ND2, ND4, ND5) in three Philippine native cattle: Indicus and taurus maternal lineages. *Anim. Sci. J.* **2004**, *75*, 363–378.
28. Shi, J.; Qiao, H.; Hosoi, E.; Ozawa, S. Phylogenetic relationship between the Yellow cattle in Qinghai province, China, and Japanese Black cattle based on mitochondrial DNA D-loop sequence polymorphism. *GenBank* **2004**, AB177788–AB177796.
29. Sasazaki, S.; Odahara, S.; Hiura, C.; Mukai, F.; Mannen, H. Mitochondrial DNA variation and genetic relationships in Japanese and Korean cattle. *Asian-Aust. J. Anim. Sci.* **2006**, *19*, 1394–1398.
30. Lei, C.Z.; Chen, H.; Zhang, H.C.; Cai, X.; Liu, R.Y.; Luo, L.Y.; Wang, C.F.; Zhang, W.; Ge, Q.L.; Zhang, R.F.; *et al.* Origin and phylogeographical structure of Chinese cattle. *Anim. Genet.* **2006**, *37*, 579–582.

31. Jia, S.; Zhou, Y.; Lei, C.; Yao, R.; Zhang, Z.; Fang, X.; Chen, H. A new insight into cattle's maternal origin in six Asian countries. *J. Genet. Genom.* **2010**, *37*, 173–180.
32. Cai, D.; Sun, Y.; Tang, Z.; Hud, S.; Li, W.; Zhao, X.; Xiang, H.; Zhou, H. The origins of Chinese domestic cattle as revealed by ancient DNA analysis. *J. Archaeol. Sci.* **2014**, *41*, 423–434.
33. Yue, X.; Li, R.; Liu, L.; Zhang, Y.; Huang, J.; Chang, Z.; Dang, R.; Lan, X.; Chen, H.; Lei, C. When and how did *Bos indicus* introgress into Mongolian cattle? *Gene* **2014**, *537*, 214–219.
34. Gou, X.; Wang, Y.; Yang, S.; Deng, W.; Mao, H. Genetic diversity and origin of Gayal and cattle in Yunnan revealed by mtDNA control region and SRY gene sequence variation. *J. Anim. Breed. Genet.* **2010**, *127*, 154–160.
35. Fujise, H.; Murakami, M.; Devkota, B.; Dhakal, I.P.; Takeda, K.; Hanada, H.; Fujitani, H.; Sasaki, M.; Kobayashi, K. Breeding distribution and maternal genetic lineages in Lulu, a dwarf cattle population in Nepal. *Anim. Sci. J.* **2003**, *74*, 1–5.
36. Takeda, K.; Satoh, M.; Neopane, S.P.; Kuwar, B.S.; Joshi, H.D., Shrestha, N.P.; Fujise, H.; Tasai, M.; Tagami, T.; Hanada, H. Mitochondrial DNA analysis of Nepalese domestic dwarf cattle Lulu. *Anim. Sci. J.* **2003**, *75*, 103–110.
37. Lin, B.; Odahara, S.; Sasazaki, S.; Yamamoto, Y.; Namikawa, T.; Tanaka, K.; Dorji, T.; Tshering, G.; Mukai, F.; Mannen, H. Genetic diversity of Bhutanese Cattle analyzed by mitochondrial DNA variation. *Dobutsu Iden Ikushu Kenkyu* **2007**, *35*, 5–10.
38. Chen, S.; Lin, B.Z.; Baig, M.; Mitra, B.; Lopes, R.J.; Santos, A.M.; Magee, D.A.; Azevedo, M.; Tarroso, P.; Sasazaki, S.; *et al.* Zebu cattle are an exclusive legacy of the South Asia Neolithic. *Mol. Biol. Evol.* **2010**, *27*, 1–6.
39. Mohamad, K.; Olsson, M.; van Tol, H.T.; Mikko, S.; Vlamings, B.H.; Andersson, G.; Rodriguez-Martinez, H.; Purwantara, B.; Paling, R.W.; Colenbrander, B.; *et al.* On the origin of Indonesian cattle. *PLoS ONE* **2009**, *4*, e5490.
40. Bonfiglio, S.; Ginja, C.; de Gaetano, A.; Achilli, A.; Olivieri, A.; Colli, L.; Tesfaye, K.; Agha, S.H.; Gama, L.T.; Cattonaro, F.; *et al.* Origin and spread of *Bos taurus*: New clues from mitochondrial genomes belonging to haplogroup T1. *PLoS ONE* **2012**, *7*, e38601.
41. Loftus, R.T.; MacHugh, D.E.; Ngere, L.O.; Balain, D.S.; Badi, A.M.; Bradley, D.G.; Cunningham, E.P. Mitochondrial genetic variation in European, African and Indian cattle populations. *Anim. Genet.* **1994**, *25*, 265–271.
42. Edwards, C.J.; MacHugh, D.E.; Dobney, K.M.; Martin, L.; Russell, N.; Horwitz, L.K.; McIntosh, S.K.; MacDonald, K.C.; Helmer, D.; Tresset, A.; *et al.* Ancient DNA analysis of 101 cattle remains: Limits and prospects. *J. Archaeol. Sci.* **2004**, *31*, 695–710.
43. Dadi, H.; Tibbo, M.; Takahashi, Y.; Nomura, K.; Hanada, H.; Amano, T. Variation in mitochondrial DNA and maternal genetic ancestry of Ethiopian cattle populations. *Anim. Genet.* **2009**, *40*, 556–559.
44. Giovambattista, G.; Posik, D.M.; Liron, J.P.; Rogberg Munoz, A.; Ripoli, M.V.; Peral-Garcia, P. Dual African MtDNA ancestry of American Creole cattle reveals past slave and trading routes between New and the Old World. *GenBank* **2006**, 88 entries.
45. Horsburgh, K.A.; Prost, S.; Gosling, A.; Stanton, J.A.; Rand, C.; Matisoo-Smith, E.A. The genetic diversity of the Nguni breed of African Cattle (*Bos* spp.): Complete mitochondrial genomes of haplogroup T1. *PLoS ONE* **2013**, *8*, e71956.

46. Speller, C.F.; Burley, D.V.; Woodward, R.P.; Yang, D.Y. Ancient mtDNA analysis of early 16(th) century Caribbean cattle provides insight into founding populations of New World creole cattle breeds. *PLoS ONE* **2013**, *8*, e69584.
47. Magee, D.A.; Meghan, C.; Harrison, S.; Troy, C.S.; Cymbron, T.; Gaillard, C.; Morrow, A.; Maillard, J.C.; Bradley, D.G. A partial African ancestry for the Creole cattle population of the Carribean. *J. Hered.* **2002**, *93*, 429–432.
48. Miretti, M.M.; Pereira, H.A., Jr; Poli, M.A.; Contel, E.P.; Ferro, J.A. African-derived mitochondria in South American native cattle breeds (*Bos taurus*): Evidence of a new taurine mitochondrial lineage. *J. Hered.* **2002**, *93*, 323–330.
49. Carvajal-Carmona, L.G.; Bermudez, N.; Olivera-Angel, M.; Estrada, L.; Ossa, J.; Bedoya, G.; Ruiz-Linares, A. Abundant mtDNA diversity and ancestral admixture in Colombian criollo cattle (*Bos taurus*). *Genetics* **2003**, *165*, 1457–1463.
50. Mirol, P.M.; Giovambattista, G.; Liron, J.P.; Dulout, F.N. African and European mitochondrial haplotypes in South American Creole cattle. *Heredity* **2003**, *91*, 248–254.
51. Armstrong, E.; Iriarte, A.; Martinez, A.M.; Feijoo, M.; Vega-Pla, J.L.; Delgado, J.V.; Postiglioni, A. Genetic diversity analysis of the Uruguayan Creole cattle breed using microsatellites and mtDNA markers. *Genet. Mol. Res.* **2013**, *12*, 1119–1131.