


Supporting Information

5,5'-Thiobis(3-methoxy-4*H*-1,2,6-thiadiazin-4-one)

Andreas S. Kalogirou* and Panayiotis A. Koutentis

^1H and ^{13}C NMR Spectra of 5,5'-thiobis(3-methoxy-4*H*-1,2,6-thiadiazin-4-one) (10)

¹H NMR of 5,5'-thiobis(3-methoxy-4*H*-1,2,6-thiadiazin-4-one) (10).




Current Data Parameters
NAME Andreas Kalogirou
EXPNO 651
PROCNO 1

F2 - Acquisition Parameters
Date_ 20140324
Time 15.20
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 10330.578 Hz
FIDRES 0.157632 Hz
AQ 3.1719425 sec
RG 161
DW 48.400 usec
DE 6.50 usec
TE 297.2 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 500.0361158 MHz
NUC1 1H
P1 11.75 usec
PLW1 15.41699982 W

F2 - Processing parameters
SI 65536
SF 500.0330402 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00


¹³C NMR of 5,5'-thiobis(3-methoxy-4*H*-1,2,6-thiadiazin-4-one) (10).



158.881
156.137
154.961

77.000

54.939



CDCl₃

Current Data Parameters
NAME Andreas Kalogirou
EXPNO 652
PROCNO 1
F2 - Acquisition Parameters
Date_ 20140324
Time 17.20
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG jmod
TD 65536
SOLVENT CDCl₃
NS 4630
DS 4
SWH 29761.904 Hz
FIDRES 0.454131 Hz
AQ 1.1010048 sec
RG 2050
DW 16.800 usec
DE 6.50 usec
TE 298.7 K
CNST2 145.000000
CNST11 1.000000
D1 2.00000000 sec
D20 0.00689655 sec
TD0 1
===== CHANNEL f1 =====
SFO1 125.7459782 MHz
NUC1 13C
P1 8.70 usec
P2 17.40 usec
PLW1 138.00000000 W
===== CHANNEL f2 =====
SFO2 500.0350280 MHz
NUC2 1H
CPDPRG2 waltz16
PCPD2 80.00 usec
PLW2 15.41699982 W
PLW12 0.33258000 W
F2 - Processing parameters
SI 32768
SF 125.7334085 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40