

Supplementary Materials to:

**Study of the Variation of Phenolic Acids and
Flavonoids Content from Fresh *Artemisiae argyi*
Folium to Moxa Wool**

Min Li, Xin Chai, Luyao Wang, Jing Yang*, Yuefei Wang*

Tianjin Key Laboratory of TCM Chemistry and Analysis, Tianjin University of Traditional Chinese Medicine, Tianjin 301617, China; lm7911826@163.com (M.L.); chaix0622@tjutcm.edu.cn (X.C.); W1224967197@163.com (L.W.); yangj0622@tjutcm.edu.cn (J.Y.); wangyf0622@tjutcm.edu.cn (Y.W.)

* Corresponding author. Tianjin Key Laboratory of TCM Chemistry and Analysis, Tianjin University of Traditional Chinese Medicine, No.10 Poyanghu Road, Jinghai district, Tianjin 301617, China. yangj0622@tjutcm.edu.cn (J.Y.); wangyf0622@tjutcm.edu.cn (Y.W.); Tel.: +86-22-59596366

Table S1. The detailed information of AAF collected from the different habitats

| Batch No. | Habitat |
|------------------|-----------------------|
| HN-1 | Henan, China |
| HN-2 | Henan, China |
| HN-3 | Henan, China |
| HN-4 | Henan, China |
| HN-5 | Henan, China |
| HN-6 | Henan, China |
| HN-7 | Henan, China |
| HN-1 | Henan, China |
| HN-2 | Henan, China |
| HN-3 | Henan, China |
| HQ-1 | Qichun (Hubei, China) |
| HQ-2 | Qichun (Hubei, China) |
| LN-1 | Liaoning, China |
| LN-2 | Liaoning, China |
| HB-1 | Hebei, China |
| HB-2 | Hebei, China |

Table S2. The detailed information of moxa wool

| Batch No. | AAF/Moxa wool | Origin |
|------------------|----------------------|---------------|
| HC 1-1 | 1:1 | Hebei, China |
| HC 1-2 | 1:1 | Hebei, China |
| HC 1-3 | 1:1 | Hebei, China |
| HC 2-1 | 5:1 | Hebei, China |
| HC 2-2 | 5:1 | Hebei, China |
| HC 2-3 | 5:1 | Hebei, China |
| HC 3-1 | 10:1 | Hebei, China |
| HC 3-2 | 10:1 | Hebei, China |
| HC 3-3 | 10:1 | Hebei, China |
| HC 4-1 | 15:1 | Hebei, China |
| HC 4-2 | 15:1 | Hebei, China |
| HC 4-3 | 15:1 | Hebei, China |