

Supporting Information

Morphology-Dependent Electrochemical Sensing Properties of Iron Oxide-Graphene Oxide Nanohybrids for Dopamine and Uric Acid

Zhaotian Cai ^{1,†}, Yabing Ye ^{1,†}, Xuan Wan ¹, Jun Liu ¹, Shihui Yang ¹, Yonghui Xia ², Guangli Li ^{1,*} and Quanguo He ^{1,*}

¹ Hunan Key Laboratory of Biomedical Nanomaterials and Devices, College of Life Sciences and Chemistry, Hunan University of Technology, Zhuzhou 412007, China; caizhaotian1998@163.com (Z.C.); yyb980501@163.com (Y.Y.); wanxuan1111@163.com (X.W.); liu.jun.1015@163.com (J.L.); yangshihui0522@163.com (S.Y.)

² Zhuzhou Institute for Food and Drug Control, Zhuzhou 412000, China; Sunnyxia0710@163.com

* Correspondence: guangli010@hut.edu.cn (G.L.); hequanguo@hut.edu.cn (Q.H.);
Tel.: +86-0731-2218-3382 (G.L.&Q.H.)

† These authors contributed equally to this work.




Figure S1. DPVs for the analysis of human serum samples with 100-fold dilution.