

Supplementary Material

Preparation, Thermal and Mechanical Characterization of UV-Cured Polymer Biocomposites with Lignin

Marta Goliszek ^{1,2,*}, Beata Podkościelna ¹, Tomasz Klepka ³, Olena Sevastyanova ^{4,5}


¹ Department of Polymer Chemistry, Institute of Chemical Science, Faculty of Chemistry, Maria Curie-Skłodowska University, M. Curie-Skłodowska Sq. 5, 20-031 Lublin, Poland; beatapod@poczta.umcs.lublin.pl

² Analytical Laboratory, Institute of Chemical Science, Faculty of Chemistry, Maria Curie-Skłodowska University, M. Curie-Skłodowska Sq. 5, 20-031 Lublin, Poland


³ Department of Technology and Polymer Processing, Faculty of Mechanical Engineering, Lublin University of Technology, Nadbystrzycka 36, 20-618 Lublin, Poland; t.klepka@pollub.pl

⁴ Department of Fibre and Polymer Technology, KTH Royal Institute of Technology, Teknikringen 56-58, SE-10044, Stockholm, Sweden; olena@kth.se


⁵ Wallenberg Wood Science Center (WWSC), Department of Fibre and Polymer Technology, KTH Royal Institute of Technology, Teknikringen 56-58, SE-10044, Stockholm, Sweden



(a)




(b)




(c)


Figure S1. ATR/FT-IR spectra of: (a) biocomposites with BA, (b) biocomposites with EHA, (c) biocomposites with St.



(a)




(b)




(c)

Figure S2. DSC curves of: (a) BA/EHA/St and 10% L-M before polymerization (polymerization takes place during the analysis), (b) BA/EHA/St biocomposites with 10% L, (c) BA/EHA/St biocomposites with 10% L-M.




(a)




(b)

Figure S3. (a) TG and (b) DTG curves of BA, BA + 10% L-M and BA + 10% L composites.




(a)




(b)

Figure S4. (a) TG and (b) DTG curves of EHA, EHA + 10% L-M and EHA + 10% L composites.



(a)



(b)

Figure S5. (a) TG and (b) DTG curves of St, St + 10% L-M and St + 10% L composites.