

Article

Effects of Mould Temperature on Rice Bran-Based Bioplastics Obtained by Injection Moulding

María Alonso-González ^{1,*}, Manuel Felix ², Antonio Guerrero ² and Alberto Romero ¹

¹ Departamento de Ingeniería Química, Facultad de Química, Universidad de Sevilla, 41012 Sevilla, Spain; alromero@us.es

² Departamento de Ingeniería Química, Escuela Politécnica Superior, Universidad de Sevilla, 41011 Sevilla, Spain; mfelix@us.es (M.F.); aguerrero@us.es (A.G.)

* Correspondence: maralonso@us.es; Tel.: +34-635-313-411

Supplementary Materials

Citation: Alonso-González, M.; Felix, M.; Guerrero, A.; Romero, A. Effects of Mould Temperature on Rice Bran-Based Bioplastics Obtained by Injection Moulding. *Polymers* **2021**, *13*, 398. <https://doi.org/10.3390/10.3390/polym13030398>

Academic Editor:

Alonso-González M.

Received: 13 January 2021

Accepted: 25 January 2021

Published: 27 January 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).




Figure S1. Elastic modulus (E') during the aging process of the doughs obtained after mixing (kept in closed containers) versus time. .