

1 *Supplementary Material*

2 *Article*

3 **High enzymatic recovery and purification of**  
4 **xylooligosaccharides from empty fruit bunch via**  
5 **nanofiltration**

6 Hans Wijaya <sup>1,2</sup>, Kengo Sasaki <sup>3</sup>, Prihardi Kahar <sup>3</sup>, Nanik Rahmani <sup>2</sup>, Euis Hermiati <sup>4</sup>, Yopi Yopi <sup>5</sup>,  
7 Chiaki Ogino <sup>1,\*</sup>, Bambang Prasetya <sup>5</sup> and Akihiko Kondo <sup>1,3</sup>

8

9 <sup>1</sup> Department of Chemical Science and Engineering, Graduate School of Engineering, Kobe University, 1-1  
10 Rokkodaicho, Nada-ku, Kobe 657-8501, Japan

11 <sup>2</sup> Research Center for Biotechnology, Indonesian Institute of Sciences (LIPI), Jl. Raya  
12 Bogor Km 46, Cibinong, 16911 Bogor, West Java, Indonesia

13 <sup>3</sup> Graduate School of Science, Technology and Innovation, Kobe University, 1-1 Rokkodaicho, Nada-ku, Kobe  
14 657-8501, Japan


15 <sup>4</sup> Research Center for Biomaterials, Indonesian Institute of Sciences (LIPI), Jl. Raya Bogor Km 46, Cibinong,  
16 Bogor 16911, Indonesia

17 <sup>5</sup> National Standardization Agency of Indonesia (BSN), Gedung Badan Pengkajian dan Penerapan Teknologi  
18 (BPPT), Jl. M.H. Thamrin No. 8, Jakarta 10340, Indonesia

19 \* Correspondence address: Chiaki Ogino, Department of Chemical Science and Engineering, Graduate  
20 School of Engineering, Kobe University, 1-1 Rokkodaicho, Nada-ku, Kobe 657-8501, Japan, E-mail:  
21 ochiaki@port.kobe-u.ac.jp; Tel/Fax: +81-78-803-6193

22

23 **Supplementary Figure S1.** Results of TLC showing the primary hydrolysis products from the  
24 enzymatic hydrolysis of alkali-pretreated EFB with either unconcentrated or concentrated  
25 XYN10Ks\_480 endoxylanase produced from recombinant *Streptomyces lividans* 1326. Lane 1,  
26 standards (STD) : X1, xylose; X2, xylobiose; X3, xylotriose; X4, xylotetraose, X5: xylopentaose; Lanes  
27 2-5 or 6-9, profiles obtained from hydrolysis after 0, 24, 48, and 72 h.  
28



29  
30