

Table S1. Ethnobotanical values and allelopathic activities of medicinal plants cited by local informants in the Ejisu-Juaben Municipality

Family, scientific name, voucher No.	Local names	Part(s) used	Ailment(s) treated	Preparation and mode of administration	Ethnobotanical indices			Allelopathy (% Growth inhibition)						
					FL	UV	RFC	SW (10 mg/10 mL Agar) R% H%	Dish pack (200 mg/DP) R% H%	Criteria*	Criteria*			
<b>Acanthaceae</b>														
<i>Justicia flava</i> Vahl. CPMR 4089	Afama	L	Malaria, <b>diarrhoea</b> , Piles Swollen joint	Decoction (oral) Poultice (Topical)	60.0	0.14	0.13	45.4	-2			47.7	34.2	***
<b>Amaranthaceae</b>														
<i>Alternanthera pungens</i> Kunth CPMR 4090	Nkasee nkasee	L	<b>Constipation</b> , headache	Paste (Enema)	81.8	0.08	0.06	57.4	19.1	*		84	63	***
<i>Amaranthus spinosus</i> L. CPMR 4092	Nantwibini	Wp	Malaria, dewormer, <b>fever</b> Delayed baby walking	Decoction (oral) Crush (Bath)	47.1	0.12	0.06	66.4	57.3	**		36.8	1.7	**
<i>Pupalia lappacea</i> (L.) A Juss. CPMR 4091	Aposompo	L	Boils	Paste (Topical)	100	0.04	0.02	22	17.7			-5	-20	
<b>Anacardiaceae</b>														
<i>Lannea welwitschii</i> (Hiern) Engl. 4093	Kumnnini	SB, L	<b>Child fever</b> ,	Decoction (Bath)	66.7	0.02	0.01	4.3	-11			1.7	-15	
<i>Mangifera indica</i> L. CPMR 4095	Amango	SB	<b>Diarrhoea</b>	Paste (Enema)	50	0.09	0.1	55.7	21.1	*		19.3	17.5	
<b>Annonaceae</b>														
<i>Cleistopholis patens</i> (Benth.) Engl. & Diels CPMR 4070	Ngo ne nkyene	L/SB, F R/SB, Se	Stomach ache, fever <b>malaria</b> , typhoid Hernia, piles	Decoction (oral) Paste (enema)	90.7	0.54	0.37	67.6	12.7	**		16.7	1.6	
<b>Apocynaceae</b>														
<i>Alstonia boonei</i> De Wild. CPMR 4096	Nyamedua	SB	<b>Measles</b> , chicken pox, boils, shingles	Crush (Topical)	70	0.36	0.22	71.5	35.8	***		14.4	8.2	
<i>Funtumia elastica</i> (Preuss) Stapf. CPMR 4097														
<i>Rauvolfia vomitoria</i> Afzel. CPMR 4081	Kakapenpen	L, R SB	Malaria, <b>body pains</b> Piles, chicken pox	Decoction (oral) Crush (Topical)	41.7	0.09	0.09	43.9	2.7			10	-7	
<b>Asclepiadaceae</b>														
<i>Secamone afzelii</i> (Roem. & Schult.) K.Schum. CPMR 4098	Kwantemaa	L	<b>Severe skin rashes</b>	Crush (Topical)	100	0.03	0.01	45.1	-20			10.4	1.7	
<i>Parquetina nigrescens</i> (Afzel.) Bullock CPMR 4102	Abakamo	SB	Wounds, snake bite	Paste (Topical)	40	0.04	0.02	24.4	14.7			14.4	4.7	
<b>Araceae</b>														
<i>Xanthosoma mafaffa</i> Schott CPMR 4099	Mankani	L	Snake bite, <b>wounds</b> Blood tonic	Squeeze (Topical) Cooked (Oral)	60	0.07	0.04	36.4	13.7			10.7	1.3	
<b>Arecaceae</b>														
<i>Cocos nucifera</i> L. CPMR 4100	Kube	L, R, R R	Ulcers, Piles <b>Erectile dysfunction</b> , Toothache, bad breathe	Decoction (oral) Infusion (Oral) Decoction (Oral)	45.5	0.08	0.04	43.2	24.7			12.8	1.8	
<i>Elaeis guineensis</i> Jacq. CPMR 4101	Abε	R	<b>Stroke</b>	Crush (Topical)	100	0.02	0.02	10.7	4.8			30.7	21.1	*

Table S1, *continued*

Family, scientific name, voucher No.	Local names	Part(s) used	Ailment(s) treated	Preparation and mod of administration	Ethnobotanical indices			Allelopathy (% Growth inhibition)				
					FL	UV	RFC	SW (10 mg/10 mL Agar) R% H%	Criteria*	Dish pack (200 mg/DP) R% H%	Criteria*	
<b>Asphodelaceae</b>												
<i>Aloe cf. tenuifolia</i> Lam. CPMR 4103		L	Appetizer, Skin rashes	Decoction (Oral/topical)	75	0.06	0.03	21.7	17.7	10.7	2.6	
<b>Asteraceae</b>												
<i>Melanthera scandens</i> Schu, Nach. & Thonn. CPMR 4077	Mfofo	L,	Wounds	Paste (Topical)	100	0.04	0.01	14.1	-14	-6	-11	
<i>Vernonia amygdalina</i> Delile CPMR 4088	Awənwono	L	Diarrhoea, typhoid, <b>malaria</b>	Decoction (Oral)	65.2	0.16	0.24	37.1	-4	12.2	-17	
<i>Ageratum conyzoides</i> L. CPMR 4105	Guakro	L, R	Eye disease, constipation	Raw (oral)	42.9	0.05	0.01	56.8	-2	*	17.7	1.8
<i>Eclipta alba</i> Hassk. CPMR 4106	Ntum	L	<b>Eye diseases</b> Constipation	Squeeze (topical)	50	0.04	0.11	68	57.7	**	61.8	47.7
<i>Eclipta alba</i> Hassk. CPMR 4106				Squeeze (topical)						***		
<b>Asteraceae</b>												
<i>Bidens pilosa</i> L. CPMR 4107	Gyinantwi	L,	Typhoid, malaria, <b>itchy ear</b>	Decoction/paste (oral/topical)	40	0.04	0.01	24.4	20.5	10.4	1.7	
<b>Bignoniaceae</b>												
<i>Kigelia africana</i> (Lam.) Benth. CPMR 4074	Nufutin	SB	<b>Stomach ache</b>	Decoction (oral)	100	0.04	0.02	13.6	9.7	1.8	-5	
<i>Spathodea campanulata</i> P. Beauv. CPMR 4084	Kuakuanisuo	L, SB	Typhoid, <b>malaria</b> Wounds	Decoction (oral)	66.7	0.15	0.11	71.3	16	***	10.6	21.5
<i>Crescentia cujete</i> L. CPMR 4108	Kontoa	L	Fever, <b>pregnancy care</b>	Decoction (oral)	57.1	0.05	0.01	23.8	-6	14.4	1.4	
<i>Newbouldia laevis</i> (P.Beauv.) Seem. CPMR 4109	Sesemasa	L SB	Stomach upset, waist pain Pregnancy care, <b>Cough</b> , High blood pressure	Paste (enema)	26.7	0.11	0.09	61.9	49	**	31.7	21.1
<i>Taraxacum officinale</i> F.H.Wigg. CPMR 4104	Dandelion	L	Blood tonic, fever, ulcer	Decoction (oral)	42.9	0.05	0.04	23.1	11.8	0.2	-8	
<b>Boraginaceae</b>												
<i>Heliotropium indicum</i> L. CPMR 4110	Akonfem atikɔ	L	Headache Stomachaches, <b>pregnancy care</b> , headache Anaemia	Crush (topical) Shred (topical) Decoction (oral)	33.3	0.09	0.08	65.6	-5	**	9	4.7
<b>Bromeliaceae</b>												
<i>Ananas comosus</i> (L.) Merr. CPMR 4111	Abrobɛ	L F	Worms, itching ear <b>Malaria</b> , severe fever	Rub (oral/enema) Decoction (oral)	62.5	0.06	0.04	17.7	14.4	14.8	5.2	
<b>Caricaceae</b>												
<i>Carica papaya</i> L. CPMR 4112	Brøfere	L R, Se	<b>Malaria</b> Ease delivery, Anthelmintic	Cook (oral) Raw (oral)	30.6	0.26	0.25	86.2	62.4	***	37.7	24.8
<b>Combretaceae</b>												
<i>Combretum smethmannii</i> G. Don. CPMR 4113	Hwirimoo	L	<b>Migraine</b> , baby delivery	Raw/rub (oral)	60	0.04	0.03	28.7	21.8	20.2	4.4	
<i>Terminalia catappa</i> L. CPMR 4114	Abrofo nkateɛ	L	Severe fever, <b>malaria</b>	Decoction (oral)	66.7	0.04	0.04	59.9	37.8	**	28.1	2.2
<i>Terminalia ivorensis</i> A.Chev. CPMR 4115	Emire	SB	Piles	Powder (oral)	100	0.04	0.03	12.8	6.4	1.7	-5	
<b>Compositae</b>												
<i>Chromolaena odorata</i> (L.) R.M.King & H.Rob. DC. CPMR 4116	Akyeampong	L	Blood clotting, <b>wounds</b>	Squeeze/rub (topical)	61.5	0.09	0.07	66.2	14.2	**	11.1	1.6

Table S1. *continued*

Family, scientific name, voucher No.	Local names	Part(s) used	Ailment(s) treated	Preparation and mode of administration	Ethnobotanical indices			Allelopathy (% Growth inhibition)					
					FL	UV	RFC	SW (10 mg/10 mL Agar) R%	H% Criteria*	Dish pack (200 mg/DP) R%	H% Criteria*		
<b>Crassulaceae</b> <i>Kalanchoe integra</i> Kuntze. CPMR 4118	Egoro	L Wp	Headache, cold, Phlegm Stroke	Squeeze (topical)	61.9	0.15	0.14	66.8	59.8 **	43.7	14.7 ***		
			<b>Abdominal pains</b> , fever, measles, Gonorrhoea, headache	Decoction (oral)									
<b>Cucurbitaceae</b> <i>Momordica charantia</i> L. CPMR 4078	Nyanya	L	headache Snake bite	Shred (topical)	60.7	0.20	0.15	78.7	30.1 ***	-1	-4		
				Decoction (oral)									
<b>Euphorbiaceae</b> <i>Mareya micrantha</i> (Benth.) Müll.Arg. CPMR 4119	Odubrafoo	L	<b>Waist pains</b>	Paste (enema)	100	0.04	0.03	13.7	10.8	1.7	-20		
<i>Ricinodendron heudelotii</i> (Baill.) Heckel CPMR 4120	Onwama	L L, R	<b>Malaria</b> , Waist pains	Decoction (oral)	60	0.04	0.04	34.1	24.6	14.4	1.7		
				Shred (topical)									
<i>Phyllanthus muellerianus</i> (Kuntze.) Exell. CPMR 4121	Awobe	L	<b>Wounds</b>	Squeeze (topical)	100	0.03	0.01	31.2	-26	12.3	11.5		
<i>Mallotus oppositifolius</i> Müll.Arg. CPMR 4076	Nyanyafurowa	L	Waist pains, <b>Constipation</b>	Poultice (topical)	75	0.06	0.06	43.1	17.7	9.9	11.4		
				Paste (enema)									
<i>Manihot esculenta</i> Crantz CPMR 4122	Bankye	L, Se	Fever <b>Blood clotting</b> , wounds	Decoction (oral)	44.4	0.06	0.06	57.7	24.7 *	16.9	9.2		
				Squeeze (topical)									
<i>Alchornea cordifolia</i> (Schumach. & Thonn.) Müll.Arg. CPMR 4065	Ogyama	L, SB SB	Constipation Fever, <b>malaria</b> Wounds, <b>piles</b>	Paste (enema)	31	0.21	0.16	51.7	21.8 *	6.3	7.5		
				Decoction (oral)									
<i>Phyllanthus urinaria</i> L. CPMR 4080	Bōwomaguwakyi	L	Blood pressure, <b>malaria</b> Sore throat, ulcer	Rub (topical/enema)	37.9	0.21	0.16	68.5	47.7 **	61.7	43.1 ****		
				Decoction (oral)									
<i>Jatropha curcas</i> L. CPMR 4123	Nkrangyedua	R, L L, R	Severe cough <b>Wounds</b> , piles Toothache	Raw (oral)	30.8	0.09	0.09	42.6	21.3	5.3	6.6		
				Crush (oral)									
<b>Fabaceae</b>	Nkwadaa brodes	L	<b>Stomachaches</b> , malaria Serious vomiting, cough	Decoction (oral)	79.6	0.35	0.21	58.4	-10 *	7.4	10.3		
				Raw (oral)									
<i>Tetrapleura tetraptera</i> (Schum. & Thonn.) Taub. CPMR 4087	Prekesé	F	<b>Typhoid</b> , asthma, blood tonic	Decoction (oral)	50	0.04	0.06	42.8	-6	50.7	30.7 ***		
<i>Acacia pennata</i> Willd. CPMR 4124	Nwere	L	Skin rashes <b>Fever</b>	Powder (topical)	75	0.03	0.02	15.7	10.4	1.7	-20		
				Decoction (oral)									
<i>Griffonia simplicifolia</i> (DC.) Baill. CPMR 4073	Kagya	Se	<b>Stomachaches</b>	Raw (oral)	100	0.02	0.02	44.2	15.9	2.8	0		
<i>Senna alata</i> (L.) Roxb. CPMR 4083	Sempe	L	<b>Eczema</b> , <b>ringworm</b> , <b>dandruff</b> , <b>skin rashes</b> Stomachaches, fever	Poultice (topical)	33.3	0.28	0.16	62.9	22.6 **	14.6	13.8		
				Decoction (oral)									
<i>Mimosa pudica</i> L. CPMR 4125	Mumuanka	L	<b>Wounds</b>	Powder (topical)	100	0.02	0.02	39.1	1.1	6.3	11.4		
				Poultice (enema)									
<i>Albizia ferruginea</i> (Guill. & Perr.) Benth. CPMR 4126	Awiemfoosamena	R, L	<b>Waist pains</b> ,	Decoction (oral)	100	0.02	0.01	9.3	-4	10.8	2.7		
<i>Dalbergia saxatilis</i> Hook.f. CPMR 4127	Ahomakyem	SB	<b>Piles</b> , ritual	Decoction (oral/topical)	66.7	0.02	0.02	3.6	-16	12.7	1.7		

Table S1, *continued*

Family, scientific name, voucher No.	Local names	Part(s) used	Ailment(s) treated	Preparation and mode of administration	Ethnobotanical indices			Allelopathy (% Growth inhibition)				
					FL	UV	RFC	SW (10 mg/10 mL Agar) R%	H% Criteria	Dish pack (200 mg/DP) R%	H% Criteria	
<i>Acacia pycnantha</i> Benth. CPMR 4128	Akasia	SB	<b>Wounds</b>	Poultice (topical).	100	0.02	0.02	25.8	13.9	14.7	21.7	
<i>Albizia zygia</i> (DC.) J.F.Macbr. CPMR 4129	Okoro	L	<b>Blood tonic</b>	Cooked (oral)	50	0.03	0.02	15.5	-24	11.1	4.2	
<i>Abrus precatorius</i> L. CPMR 4130	Nyame eni	Se	<b>Epilepsy</b>	Decoction (oral)	100	0.02	0.02	15.7	11.4	1.7	-1	
<b>Lamiaceae</b>				Powder (oral)								
<i>Ocimum gratissimum</i> L. CPMR 4131	Nunum	L, Se	Headache, <b>diarrhoea</b> , malaria	Decoction (oral)	38.5	0.37	0.35	62.3	-24	**	4.3	18.2
			Itchy ear, phlegm, convulsion	Squeeze (topical)								
<i>Hoslundia opposita</i> Vahl. CPMR 4132	Nunum nini	L, Se	Malaria, <b>phlegm</b>	Decoction (oral)	57.1	0.05	0.03	33.7	21.1		24.7	14.9
<b>Lauraceae</b>												
<i>Persea americana</i> Mill. CPMR 4133	Paya	L	<b>Fever</b>	Decoction (oral)	100	0.06	0.09	20.8	-6	6	-1	
<b>Lecythidaceae</b>												
<i>Petersianthus macrocarpus</i> (P. Beauv.)	Asia	L	<b>Constipation</b>	Paste (enema)	100	0.02	0.02	30.2	13.7		21.1	13.7
Liben CPMR 4134												
<b>Liliaceae</b>												
<i>Allium sativum</i> L. CPMR 4135	Garlic	Cloves	<b>Cough</b>	Raw/paste (oral)	100	0.04	0.04	25.7	13.9		2.7	-12
<b>Loganiaceae</b>												
<i>Anthocleista nobilis</i> G. Don CPMR 4066	Owudifo kete	R, L	<b>Piles</b> , hernia, Jaundice, Typhoid	Decoction (oral)	33.3	0.04	0.05	49.3	20.4	*	4.3	-19
<b>Loranthaceae</b>												
<i>Tapinanthus bangwenis</i> (Engl.& K. Krause)	Nkrapan	Wp	<b>Fever</b>	Decoction (topical)	82.4	0.12	0.13	57.7	34.8	*	39.2	21.1
Danser CPMR 4085												**
<b>Malvaceae</b>												
<i>Ceiba pentandra</i> (L.) Gaertn. CPMR 4069	Onyina	SB, F	Measles, back pain, sting removal	Powder (topical)	50	0.03	0.04	31	0.7		21.6	7.8
			<b>Child delivery</b> , wounds	Rub (topical)	80	0.04	0.03	30.7	12.9		1.7	-2
<i>Abelmoschus esculentus</i> Moench. CPMR 4137	Nkruma	F, Se										
<i>Sida acuta</i> Burm. f. CPMR 4138	Tweta	L, R	<b>Pregnancy care</b>	Paste (enema)	57.1	0.05	0.04	56.8	4.4	*	4.2	9
		L	Cough, sore throat	Squeeze (oral)								
<b>Meliaceae</b>												
<i>Khaya senegalensis</i> (Desv.) A.Juss. CPMR 4141	Mahogany	L, SB	Malaria, blood pressure	Infusion (oral)	53.3	0.11	0.12	42	6.2		39.7	21.1
			<b>Boils</b>	Crush (topical)								**
<b>Meliaceae</b>												
<i>Azadirachta indica</i> A. Juss. CPMR 4067	Neem tree	L, SB	<b>Malaria</b>	Decoction (oral)	100	0.33	0.25	74.7	25.9	***	13.6	-1
<i>Cedrela odorata</i> L. CPMR 4142	Gyenegyene	SB	<b>Migraines</b>	Squeeze (oral)	100	0.02	0.02	4.7	-13		1.7	-18
<b>Moraceae</b>												
<i>Ficus exasperata</i> Vahl. CPMR 4072	Nyankyeren ee	L, SB, L	<b>Malaria</b>	Decoction (oral)	33.3	0.11	0.09	70	19.5	***	9.9	2.9
			Wound, shingles	Poultice (topical)								
			Abnormal foetus position	Cooked (oral)								
<i>Ficus capensis</i> Thunb. CPMR 4144	Odoma	L	<b>Stomachaches</b>	Decoction (oral)	100	0.03	0.03	9.5	-21		8.7	0

Table S1, *continued*

Family, scientific name, voucher No.	Local names	Part(s) used	Ailment(s) treated	Preparation and mode of administration	Ethnobotanical indices			Allelopathy (% Growth inhibition)				
					FL	UV	RFC	SW (10 mg/10 mL Agar) R%	H% Criteria	Dish pack (200 mg/DP) R%	H% Criteria	
<b>Moringaceae</b>												
<i>Moringa oleifera</i> Lam CPMR 4145		Se, L L	<b>Ulcer</b> , fever High blood pressure	Infusion (oral) Squeeze (oral)	54.5	0.08	0.09	34.8	22	34.1	24.7	*
<b>Musaceae</b>												
<i>Musa paradisiaca</i> L. CPMR 4146	Brødee	L, R, Fl L, R	<b>Wounds</b> Fever, headache Delayed child walk	Squeeze (topical) Decoction (oral) Powder (enema)	40	0.11	0.10	36	4	30	8.2	*
<b>Myrtaceae</b>												
<i>Psidium guajava</i> L. CPMR 4148	Gua	L,	Chicken pox <b>Measles</b> Candidiasis	Rub (topical) Decoction (oral)	66.7	0.05	0.07	21.4	11.1	8.9	12.6	
<b>Nephrolepidaceae</b>												
<i>Nephrolepis biserrata</i> (Sw.) Schott CPMR 4149	Aya	L	<b>Blood tonic</b> Toothache	Decoction (oral) Paste (oral)	66.7	0.02	0.02	34.8	21.1	14.7	1.8	
<b>Pedaliaceae</b>												
<i>Sesamum indicum</i> L. CPMR 4150	Sesame	Se	<b>Blur eye sight</b>	Raw (oral)	100	0.02	0.02	18.4	5.5	17.7	9.7	
<b>Phytolaccaceae</b>												
<i>Hilleria latifolia</i> (Lam.) H.Walter CPMR 4151	Anafranaku	L	<b>Child Fever</b>	Decoction (topical)	100	0.02	0.03	34.1	17.1	10.7	1.8	
<b>Poaceae</b>												
<i>Saccharum officinarum</i> L. CPMR 4152	Ahwedeē	L	Malaria	Decoction (oral)	100	0.03	0.03	39.2	14.8	8.8	1.4	
<i>Brachyachne obtusiflora</i> (Benth.) C.E. Hubb. CPMR 4153	Abirekyire abodwese	L,	<b>Fracture, delayed child walking</b>	Paste (topical/enema)	75	0.03	0.02	32.9	10.4	12.8	0.4	
<i>Zea mays</i> L. CPMR 4154	Aburoo	R, Co	Constipation <b>Anal sore</b>	Paste (enema) Burn (rectal)	60	0.04	0.03	21.9	19.6	2.9	-15	
<i>Cymbopogon citratus</i> (DC.) Stapf CPMR 4156	Fever grass	L	<b>Fever</b> , malaria, typhoid	Decoction (oral)	61.1	0.13	0.15	65.9	47.7	**	34.7	1.3
<b>Poaceae</b>												
<i>Bambusa vulgaris</i> Schrad. ex J.C. Wendl. CPMR 4155	Pampulo	L	<b>Malaria</b>	Decoction (oral)	100	0.02	0.02	13.1	-21	6.3	8.3	
<i>Eleusine indica</i> (L.) Gaetn CPMR 4157	Nsensan	Wp	<b>Constipation</b>	Paste (enema)	100	0.02	0.02	9.7	5.3	17.4	9.8	
<b>Rubiaceae</b>												
<i>Mussaenda erythrophylla</i> Schumach. and Thonn. CPMR 4158	Dameramm a	L,	<b>Severe cough</b> , ritual	Decoction (oral)	60	0.02	0.02	12.8	-7	21.7	8.8	
<i>Morinda lucida</i> Benth. CPMR 4159	Konkrōma	L	<b>Malaria</b>	Decoction (oral)	100	0.04	0.04	19.1	-19	27.7	10.7	*
<b>Rutaceae</b>												
<i>Citrus aurantiifolia</i> (Christm.) Swingle CPMR 4161	Ankaa twadeē	F, R	<b>Fever</b> , cough, Typhoid Migraines	Decoction (oral) Squeeze (topical)	55.6	0.06	0.06	60.2	46.7	**	1.7	-30
<i>Zanthoxylum leprieurii</i> Guill. & Perr CPMR 4162	Oyaa	SB,	<b>Rheumatism</b> <b>Stomach ulcer</b>	Paste (topical) Decoction (oral)	62.5	0.06	0.06	61.8	53.8	**	13.7	1.7

Table S1, *continued*

Family, scientific name, voucher No.	Local names	Part(s) used	Ailment(s) treated	Preparation and mode of administration	Ethnobotanical indices			Allelopathy (% Growth inhibition)					
					FL	UV	RFC	SW (10 mg/10 mL Agar) R%	H% Criteria	Dish pack (200 mg/DP) R%	H% Criteria		
<i>Citrus sinensis</i> (L.) Osbeck CPMR 4163	Ankaa	L R/L, Se	Malaria <b>Diarrhoea</b>	Decoction (oral) Raw (oral)	66.7	0.04	0.04	10.4	-10	31.7	23.4	*	
<i>Zanthoxylum gilletii</i> (De Wild.) Waterman CPMR 4164	Okuo	SB	Stomach ulcer	Infusion (oral)	100	0.03	0.03	14.4	-1	43.1	34.7	**	
<b>Sapindaceae</b> <i>Paullinia pinnata</i> L. CPMR 4079	Toa-ntini	R, R/L R/L	Profuse cough Wounds, snake bite <b>Erectile dysfunction</b>	Raw (oral) Paste (topical) Alcohol infusion (oral)	63.6	0.08	0.12	66.2	29.6	**	-6	-8	
<i>Solanum torvum</i> Sw. CPMR 4167	Abedru	L/F	<b>Blood tonic</b>	Decoction (oral)	53.3	0.11	0.12	48.3	1.6	52.4	35.7	****	
<i>Solanum lycopersicum</i> L. CPMR 4168	Ntoose	L F	Cough, typhoid headache Convulsion <b>Measles</b>	Squeeze (topical) Squeeze (topical) Rub (topical)	66.7	0.02	0.02	21.1	14.8	57.7	26.5	****	
<b>Sterculiaceae</b> <i>Theobroma cacao</i> L. CPMR 4169	Kookoo	R, L,	Cough <b>Malaria</b>	Decoction (oral) Decoction (oral)	55	0.14	0.14	43.2	11.7	37.2	11.3	**	
<b>Verbanaceae</b> <i>Tectona grandis</i> L.f. CPMR 4086	Teak	L, SB	<b>Malaria</b>	Decoction (oral)	100	0.19	0.16	52.2	11.1	*	37.7	15.7	**
<i>Lantana camara</i> L. CPMR 4075	Shingles dokono	L,	Body pains	Decoction (oral)	100	0.02	0.02	20.2	-40	21.3	6.3		
<b>Zingiberaceae</b> <i>Aframomum melegueta</i> K.Schum. CPMR 4064	Efomwisa	Se,	Convulsion	Squeeze (topical)	100	0.04	0.04	38.3	0	35.5	21.2	**	
<i>Zingiber officinale</i> Roscoe CPMR 4165	Kakaduro	Rh	<b>Cough</b> , diarrhoea wounds	Raw (oral)	54.5	0.08	0.03	49.7	38.7	*	24.7	14.7	

Ethnobotanical indices: UV\*, use value, FC\*, frequency of citation, FL\*, Fidelity Level (The ailments in **bold** were used to calculate the fidelity level). Parts used: R\*; Roots, L\*; Leaves, Fl\*; Flower, SB\*; Stem bark, Se\*; Seed, Rh\*; Rhizome, Wp\*; Whole plant, Co\*; Cob, Cv\*; Cloves, RB\*; Root bark, F\*; Fruit, CPMR\*; Centre for Plant Medicine Research M-Average,  $\delta$ - Standard deviation.

Criteria: Stronger inhibitory activity in the radicle: \*  $M + 0.5 (\delta)$ , \*\*  $M + 1(\delta)$ , \*\*\*  $M + 1.5(\delta)$ , and \*\*\*\*  $M + 2.5(\delta)$ .

SW; Sandwich Bioassay Method, DP; Dish pack Bioassay Method