

# Water Quality and Microbial Community Changes in an Urban River after Micro-Nano Bubble Technology *In Situ* Treatment

Yifei Wu <sup>1,2</sup>, Hui Lin <sup>3</sup>, Weizhao Yin <sup>4</sup>, Sicheng Shao <sup>1,2</sup>, Sihao Lv <sup>3,\*</sup> and Yongyou Hu <sup>1,2,\*</sup>

<sup>1</sup> School of Environment and Energy, South China University of Technology, Ministry of Education, South China University of Technology, Guangzhou Higher Education Mega Centre, Guangzhou 510006, China; 201620132571@mail.scut.edu.cn (Y.W.); sicheng2009010370@163.com (S.S.)

<sup>2</sup> The Key Lab of Pollution Control and Ecosystem Restoration in Industry Clusters, Ministry of Education, South China University of Technology, Guangzhou Higher Education Mega Centre, Guangzhou 510006, China

<sup>3</sup> Research Center for Eco-Environmental Engineering, Dongguan University of Technology, Dongguan 523808, China; linhui@dgut.edu.cn

<sup>4</sup> School of Environment, Jinan University, Guangzhou 510632, China; weizhaoyin@jnu.edu.cn

\* Correspondence: lvsh@dgut.edu.cn (S.L.); ppyyhu@scut.edu.cn (Y.H.)




Figure S1. Monthly mean temperature of Dongguan City (2016-2018).




Figure S2. The Concentration of TP (mg/L) during remediation.

Table S1. The ACE and Chao 1 index of samples.

	d1	d20	d37	d67	d133	d146
ACE	2808.86	2978.58	2392.96	3981.80	1383.71	1758.66
Chao 1	2576.45	2203.24	2273.60	3089.65	1053.62	1459.70