































9. Ohya, Y.; Karasudani, T.; Sakurai, A. Development of high-performance wind turbine with a brimmed diffuser, Part 2. --DSDGRFHURQW 6SDFH6FI2004, , 210–213 (in Japanese).
10. Ohya, Y.; Karasudani, T.; Sakurai, A.; Abe, K.; Inoue, M. Development of a shrouded wind turbine with a flanged diffuser. - :LQ(QQHURGQ 2008, , 524–539.
11. Abe, K.; Ohya, Y. An investigation of flow fields around flanged diffusers using CFD. - :LQ(QQHURGQ 2004, , 315–330.
12. Abe, K.; Nishida, M.; Sakurai, A.; Ohya, Y.; Kihara, H.; Wada, E.; Sato, K. Experimental and numerical investigations of flow fields behind a small-type wind turbine with flanged diffuser. - :LQ(QQHURGQ 2005, , 951–970.
13. Inoue, M; Sakurai, A.; Ohya, Y. A simple theory of wind turbine with brimmed diffuser. 7NERPDFK,Q 2002, , 46–51(in Japanese).
14. Abe, K.; Kihara, H.; Sakurai, A.; Nishida. M.; Ohya, Y.; Wada, E.; Sato, K. An experimental study of tip-vortex structures behind a small wind turbine with a flanged diffuser. :LQ6WUKW 2006, , 413–417.
15. Uchida, T.; Ohya, Y. Micro-siting technique for wind turbine generators by using large-eddy simulation. - :LQ(QQHURGQ 2008, , 2121–2138.

© 2010 by the authors; licensee Molecular Diversity Preservation International, Basel, Switzerland. This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).